




**NIH
HEAL
INITIATIVE**

Investigator Meeting



January 16 - 17, 2020 Hyatt Regency, Bethesda, Maryland



#NIHhealInitiative

NIH National Institutes of Health
HEAL Initiative

NIH HEAL Initiative and Helping to End Addiction Long-term are service marks of the U.S. Department of Health and Human Services.

NIH
HEAL Welcome
INITIATIVE

Francis S. Collins, M.D., Ph.D., Director, National Institutes of Health (NIH)

NIH HEAL Initiative and Helping to End Addiction Long-term are service marks of the U.S. Department of Health and Human Services.

#NIHhealinitiative

**NIH
HEAL
INITIATIVE**

Introductory Remarks

Francis S. Collins, M.D., Ph.D., Director, National Institutes of Health (NIH)

NIH HEAL Initiative and Helping to End Addiction Long-term are service marks of the U.S. Department of Health and Human Services.

#NIHhealinitiative




**NIH
HEAL
INITIATIVE**

Helping to End Addiction Long-term

January 16, 2020

Francis S. Collins, MD, PhD
Director, National Institutes of Health




#NIHhealInitiative

NIH National Institutes of Health
HEAL Initiative

NIH HEAL Initiative and Helping to End Addiction Long-term are service marks of the U.S. Department of Health and Human Services.

National Crisis of Pain and Opioid Misuse, Addiction, and Overdose

In 2017, 70,237 Americans died from drug overdose




Legend for estimated age-adjusted death rate (per 100,000 population)



- 50 million adults are affected by chronic pain
- 20 million have high impact chronic pain


HEAL Initiative Research Overview



Problem:

Many people with OUD do not receive appropriate treatment for their disorder

- **Scientific solution:** Test integration of evidence-based interventions into community, justice and ER settings
 - The HEALing Communities Study
 - Justice Community Opioid Innovation Network (JCOIN)
 - Research focused on treatment in ER, primary care, among pregnant mothers, etc.



Problem:

Many patients who receive medications for OUD do not stay on treatment long enough to achieve long-term recovery

- **Scientific solution:** Research targeting new therapeutics for OUD to give patients more options for sustained recovery
 - Immunotherapies to opioids
 - Extended-release formulations
 - Medications to reduce drug cravings



Problem:

Pain control should be balanced with the risks of long-term opioid therapy

- **Scientific solution:** Research on non-addictive medications for pain and test new models of care in real world settings
 - Phase 2 trials of novel therapeutics for multiple different pain conditions
 - Controlled trial of acupuncture for chronic low back pain in older adults, in collaboration with CMS
 - Effectiveness research studies for an array of nonpharmacological pain management strategies

Problem:

There is no national standard for care of infants born exposed to opioids

- **Scientific solution:** Research to understand best treatments and long-term consequences for NAS/NOWS
 - Trials to inform screening and treatment for infants exposed to opioids
 - Long-term studies to understand pre- and post-natal opioid exposure on brain growth and development

